























SwissStop 2024

The aim of SwissStop is to offer our customers added value and genuine improvement to the cycling experience, regardless of discipline or ability.

In Mendrisio in the south of Switzerland we manufacture disc brake pads and the well-known rubber rim brake pads for aluminum and carbon rims in the highest Swiss Made quality at our state-of-the-art production facility.

What began with specially developed rim brake pads is now a product portfolio that appeals to racing cyclists, mountain bikers, e-bikers, commuters and gravel riders alike. In addition to an extensive range of high-quality brake pads for rim brakes and various product families with different pad mixtures for disc brakes, we have also been offering rotors and accessories for several years in order to offer our customers a complete brake system upgrade solution.

SwissStop continues to develop products on the basis of decades of experience, feedback from the market and our sponsored riders and teams, as well as extensive tests in the laboratory and in the field. Adapted to the different demands and needs, we offer a range of different compounds, each with finely tuned performance characteristics. Rim brake pads for every rim type and every rim material. For riders using disc brakes, we offer pad compounds with different features, depending on the application and the user's requirements. This catalogue is intended to help you find the right pad or disc brake rotor for you.

In the middle of this edition you will also find a list of the SwissStop products we recommend for gravel riding. For the special challenges of this category, we have tested our products on many meters of altitude and kilometers of gravel, because standing behind our recommendations is both our philosophy and part of our DNA.

SwissStop. Because you ride everywhere.





There is no environment harder on the bicycle brake system than competition. For decades SwissStop has supported teams and riders around the world. We work very closely with them to test products and gather feedback on brake system performance and durability. Team sponsorship is a crucial part of our continual cycle of product development and innovation. In 2023/2024, we continue to expand and diversify the field of athletes and disciplines they ride to include road, mtb, cyclocross and now gravel.



SwissStop supports individual athletes and teams around the world including:

Bingoal - WB
Giant France MTB
Ecoflo Chronos

De Ceuster Bonache

Lifeplus Wahoo Adam Myerson Team Margot Moschetti

Jean Biermans

Andrin Beeli Michael van den Ham







CATALYST DISC BRAKE ROTORS

ENGINEERED TO SET A NEW STANDARD



CATALYST ONE disc rotor



CATALYST | PRO disc rotor



CATALYST | RACE disc rotor



SIMPLY POWERFUL BRAKING



READY FOR EVERYTHING



LIGHTWEIGHT AND WITHOUT COMPROMISE

The entry into the Catalyst family. Full braking power for everyone.

Durable, extremely stiff and used successfully by top teams in road, MTB and cyclocross for years. The brake rotor that is ready for all applications.

No compromises.

The disc brake rotor for racers and those chasing the lightest bike builds. Weight-reduced design without sacrificing braking performance.





FEATURES

- Catalyst brake ring provides high heat tolerance and durability
- 6-bolt and Centerlock
- Centerlock models are e-bike magnet compatible (160 220 mm)
- 6-bolt models are compatible with adapter for Centerlock hubs
- wear indicators the black divots dissappear when rotor has worn to the minimum thickness of 1.60 mm
- rounded perimeter edge

SPECIFICATIONS


- 1.95 mm thickness
- 140 | 160 | 180 | 203 | 220 mm
- 140 and 160 mm are UCI approved



SwissStop[®]

CENTERLOCK MODELS








160 mm	
Art-Nr.	P100006235
EANI	76/012122/6/5



180 mm

Art-Nr. P100006236

EAN 7640121224652



203 mm

Art-Nr. P100006237
EAN 7640121224669



Art-Nr. P100006238
EAN 7640121224676

6-BOLT MODELS



140 111111		
Art-Nr.	P10000610	
EAN	764012122436	



Art-Nr. P100006101 EAN 7640121224379



180 mm

Art-Nr. P100006102
EAN 7640121224386



203 mm		
Art-Nr.	P100006103	
EAN	7640121224393	



Art-Nr.	P10000610
FAN	764012122450

11

220 mm



CATALYST PRO | READY FOR ANYTHING

FEATURES

- the original Catalyst that set new standards for performance and durability
- two-piece construction
- 6-bolt and Centerlock
- Centerlock models are e-bike magnet compatible
- aluminum alloy spider provides incresed stiffness
- used by top road, mountain and cyclocross teams
- wear indicators the black divots dissappear when rotor has worn to the minimum thickness of 1.60 mm
- rounded perimeter edge

SPECIFICATIONS

- brake ring thickness is optimized and specific to each diameter
- 140 | 160 | 180 | 203 | 220 mm
- 140 and 160 mm are UCI approved

DIAMETER SPECIFIC BRAKE RING THICKNESS

CATALYST PRO MODEL	THICKNESS
Ø 140mm	1.85 mm
Ø 160mm	1.80 mm
Ø 180mm	1.90 mm
Ø 203mm	1.95 mm
Ø 220mm	1.95 mm

CENTERLOCK MODELS



P100005612

7640121223808

140 mm

Art-Nr.




160 mm

P100005493

7640121223761


Art-Nr.



P100005494

7640121223778

Art-Nr.







203
Art-Nr.


220 mm P100005708 Art-Nr. P100006045 7640121224195 7640121223983

6-BOLT MODELS









3 mm		
------	--	--

Art-Nr.	P100005011	Art
EAN	7640121223204	EAI

220 mm	
Art-Nr.	P1000060
FAN	76401212242

Art-Nr.	P10000500
EAN	764012122317

140 mm

160 mm	
Art-Nr.	P100005009
EAN	7640121223181

P100005010 7640121223198 EAN



CATALYST RACE | LIGHTWEIGHT AND WITHOUT COMPROMISE

FEATURES

- 12% lighter than Catalyst Pro
- two-piece construction
- Centerlock
- wear indicators the black divots dissappear when rotor has worn to the minimum thickness of 1.60 mm
- rounded perimeter edge
- brake ring dimensions are optimized for race pads
- aluminum alloy spider provides incresed stiffness
- new spider design for improved aerodynamics




- 1.80 mm thickness
- 140 | 160 mm
- both sizes are UCI approved






Art-Nr. P100006095
EAN 7640121224324




160 mm

Art-Nr. P100006096 EAN 7640121224331

Catalyst Development - Notes from The Lab





Final Design





View the SwissStop disc brake rotor installation tutorial.

2015 — Development Begins

The SwissStop engineering team conducted a series of laboratory tests on bicycle brake disc rotors. Next, they created digital models of these rotors and simulated the same test environments using advanced software. A comparison of the data verified that the simulations were accurate and effective, giving the engineers confidence to proceed with creating an array of digital prototypes to thoroughly test and evaluate.

Heat transfer within the design concepts was studied extensively using engineering simulation software. The relationships between convection, radiation, surface area and weight were used to determine the optimal design to maximize heat dissipation and strength while minimizing weight.

Computational fluid dynamics (CFD) simulations were performed to study airflow over the surface of the rotor and through the cut-outs in the brake pad contact area. A variety of profiles were tested to determine the effects of asymetrical holes and optimize the cooling effect of airflow over the surfaces.

2016 — First Catalyst Model Announced

The performance of the Catalyst design was confirmed with further digital modelling and thermodynamic simulation studies. Following this phase, physical prototypes were produced for extensive lab and field testing. The process validated the design. Upon completion, the first Catalyst model, featuring a 7075T6 aluminum alloy spider and SUS410 stainless steel brake track, was formally announced.

2017-2020 — Cyclists of all types, including top MTB, Cyclocross and UCI World Tour road athletes, discover the power, durability and reliability of Catalyst rotors.

2021 — The SwissStop engineering team applied the Catalyst design concept to new rotor designs, focusing on the requirements of ever-more specific applications that riders encounter. New one-piece and race-optimized two-piece models are developed.



ACCESSORIES

ADAPTERS AND LOCKRINGS



Centerlock Adapter - adapt 6-Bolt rotor to

Art-Nr. P100006105 EAN 7640121224416



Centerlock Lockring - max Ø 160 mm

Art-Nr. P100006239 EAN 7640121224683



Centerlock Lockring - max Ø 220 mm

Art-Nr. P100006280 EAN 7640121225239

E-BIKE SPEED SENSOR MAGNET



E-Bike Magnet - speed sensor magnet

Art-Nr. P100006270 EAN 7640121225208



E-Bike Speed Sensor Magnet: how to install

EVERYDAY UTILITY



Backpack - 35x45 cm

Art-Nr. P100006278 EAN 7640121225161



Musette - 35x30 cm

Art-Nr. P100006279 EAN 7640121225178



Compressed Towel - 30 x 60cm

Art-Nr. P100003788 EAN 7640121222450






YOU WILL FEEL THE DIFFERENCE







RACE READY SILENT POWER

The powerhouse in all conditions.

Maximum power and little noise in dry and wet conditions make the compound a perfect choice for demanding riders.







HIGH ENDURANCE **EASY MODULATION**

The long-distance champion with powerful braking.

Good modulation, high temperature stability and extremely good durability mean this compound is ideal for frequent riders, mountain bikers, e-mountain bikers and cargo bikers.











MAXIMUM PAD LIFE MINIMUM BRAKE FADE



High performance pad compound with exceptional durability and optimized heat management.

The special design with cooling fins ensures low temperatures throughout the braking system and minimal fading. In addition, the pad is characterized by very low wear rates.



SMOOTH POWER LOW NOISE

The ideal allround pad for the everyday rider.

With a well-balanced combination of performance characteristics, this pad compound offers excellent brake power with minimal effort at the lever. In many cases it can be also a problem solver for unpleasant brake noise.

DISC

BRAKE PAD

COMPOUNDS





DISC **15 RS**

Art-Nr. P100006282 EAN 7640121225185

Fits **Shimano** Deore BR-MT410, BR-M575, BR-M525, LX BR-T675, Alivio BR-M4050, Acera BR-M3050, Altus BR-M375, BR-M365, BR-M315 **TRP** Slate X2, Hylex **Tektro** Orion 4x2P HD-M735 (Rear), Gemini HD-M530 (Rear), HD-M500/M501



DISC 27 RS

Art-Nr. P100006049 EAN 7640121224225

Fits **Shimano** XTR BR-M9120, XT BR-M8120, BR-M8020, SLX BR-M7120, DEORE BR-M6120, BR-MT420, SAINT BR-M820, BR-M810 **TRP** G-Spec Quadiem, Quadiem **Tektro** Orion 4P HD-M750, HD-M745, Orion 4x2P HD-M735 (Front)



DISC 28 RS

Art-Nr. P100004812 EAN 7640121223266

Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8100, BR-M8000, BR-M785, SLX BR-M7100, BR-M7000, BR-M675, DEORE BR-M6100, BR-M6000, BR-M615, ALFINE BR-S700, BR-S7000 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150 **REVER** MCX1 Post Mount



RACE READY | SILENT POWER

CHARACTERISTICS - RATED

INITIAL BITE	10
MODULATION	8
LONGEVITY	8
HEAT TOLERANCE	8
NOISE - DRY	10
NOISE - WET	10
	0 - 10 (best)


SMOOTH, POWERFUL BRAKING

Disc RS is an organic compound which delivers powerful braking and precisely balances the performance characteristics important to racers and everyday riders alike:

- consistently silent operation
- smooth feel in the brake lever
- predictable and progressive brake power
- very high durability

QUIET IN BOTH WET AND DRY CONDITIONS

Disc RS provides extremely quiet operation in all environmental conditions including wet, dry, snow and ice.



THIN BACKPLATE DESIGN

At 1.60 mm thick the steel backplate saves weight over standard designs, yet provides the preferred thermal characteristics, strength and stability of steel.

The reduced backplate thickness is offset by additional friction material, providing longer pad service life.

BALANCED PERFORMANCE

Disc RS offers a well balanced combination of brake performance, durability and incredibly low noise in all conditions. This finely tuned compound provides an ideal riding experience which is not found in other disc brake pads.



DISC **29 RS**

Art-Nr. P100006051 EAN 7640121224232

Fits **SRAM** Code R (2018+), RSC (2018+), Guide RE, DB8 **Avid** Code (2011-2014), Code R



DISC 30RS

Art-Nr. P100005050 EAN 7640121223273

Fits Magura MT 2, 4, 6, 8 CAMPA Road Disc (like Campa pads DB-310 and DB-210)



DISC 31 RS

Art-Nr. **P100005719** EAN **7640121223952**

Fits **SRAM** G2 Ultimate, RSC, Guide Ultimate, RSC, RS, R, T **Avid** XO Trail, Elixir 9 Trail, Elixir 7 Trail



DISC **32 RS**

Art-Nr. P100005051 EAN 7640121223280

Fits **SRAM** Red eTap AXS (Gen. 1 'Mono-Bloc' caliper), eTap HRD, Force Force 22 HRD (B1), Force 1 HRD



DISC **34 RS**

Art-Nr. P100005052 EAN 7640121223297

Fits Shimano Dura Ace BR-R9270, BR-R9170, Ultegra BR-R8170, BR-R8070, 105 BR-R7070, Tiagra BR-4770, GRX BR-RX810, BR-RX400 TRP HD-T910, Hylex HD-C810 Tektro HD-R510, HD-R310 REVER MCX1 Flat Mount



DISC **35 RS**

23

Art-Nr. P100005796 EAN 7640121224003

Fits **SRAM** Red eTap AXS (Gen. 2 'Two-Piece' caliper), Force eTap AXS **Avid** Elixir 9, 7, 5



HIGH ENDURANCE | EASY MODULATION

- long lasting, high endurance pad compound
- very easy modulation of braking force
- high temperature stability for consistent brake power
- organic formula is low noise and rotor friendly

CHARACTERISTICS - RATED

INITIAL BITE	7
MODULATION	9
LONGEVITY	9
HEAT TOLERANCE	9
NOISE-DRY	9
NOISE - WET	7





DISC **15E**

Art-Nr. P100003790 EAN 7640121222474

Fits **Shimano** Deore BR-MT410, BR-M575, BR-M525, LX BR-T675, Alivio BR-M4050, Acera BR-M3050, Altus BR-M375, BR-M365, BR-M315 **TRP** Slate X2, Hylex **Tektro** Orion 4x2P HD-M735 (Rear), Gemini HD-M530 (Rear), HD-M500/M501



DISC **26 E**

Art-Nr. P100003791 EAN 7640121222481

Fits SRAM XX, XO Avid Elixir 9, 7, 5



DISC 27 E

Art-Nr. P100005266 EAN 7640121223341

Fits Shimano XTR BR-M9120, XT BR-M8120, BR-M8020, SLX BR-M7120, DEORE BR-M6120, BR-MT420, SAINT BR-M820, BR-M810 TRP G-Spec Quadiem, Quadiem Tektro Orion 4P HD-M750, HD-M745, Orion 4x2P HD-M735 (Front)



DISC 31 E

Art-Nr. P100005265 EAN 7640121223358

Fits **SRAM** G2 Ultimate, RSC, Guide Ultimate, RSC, RS, R, T **Avid** XO Trail, Elixir 9 Trail, Elixir 7 Trail



DISC **32 E**

Art-Nr. P100005157 EAN 7640121223242

Fits **SRAM** Red eTap AXS (Gen. 1 'Mono-Bloc' caliper), eTap HRD, Force Force 22 HRD (B1), Force 1 HRD



DISC 33 E

Art-Nr. P100005620 EAN 7640121223822

Fits **Magura** MT 5, 7



DISC **28 E**

Art-Nr. **P100003792** EAN **7640121222498**

Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8100, BR-M8000, BR-M785, SLX BR-M7100, BR-M7000, BR-M675, DEORE BR-M6100, BR-M6000, BR-M615, ALFINE BR-S700, BR-S7000 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150 **REVER** MCX1 Post Mount



DISC **29 E**

Art-Nr. P100005619 EAN 7640121223815

Fits **SRAM** Code R (2018+), RSC (2018+), Guide RE, DB8 **Avid** Code (2011-2014), Code R



DISC 30E

Art-Nr. P100003793 EAN 7640121222504

Fits Magura MT 2, 4, 6, 8 CAMPA Road Disc (like Campa pads DB-310 and DB-210)



DISC **34 E**

Art-Nr. P100005012 EAN 7640121223211

Fits **Shimano** Dura Ace BR-R9270, BR-R9170, Ultegra BR-R8170, BR-R8070, 105 BR-R7070, Tiagra BR-4770, GRX BR-RX810, BR-RX400 **TRP** HD-T910, Hylex HD-C810 **Tektro** HD-R510, HD-R310 **REVER** MCX1 Flat Mount



DISC **35 E**

Art-Nr. P100005797 EAN 7640121224010

Fits **SRAM** Red eTap AXS (Gen. 2 'Two-Piece' caliper), Force eTap AXS








25






MAXIMUM PAD LIFE | MINIMUM BRAKE FADE




Based on the award winning SwissStop Disc E compound, EXOTherm2 provides high performance braking at all levels of use while minimizing pad wear.





With EXOTherm2 brake system temperatures are dramatically lower than standard pads, reducing wear on pads and rotors. Lower temperatures also mean more consistent brake performance by reducing brake fade - the reduction of brake power caused by overheated components.





DISC **25**

Art-Nr. P100005313 EAN 7640121223594

Fits Formula RO Racing, T1 Racing, R1 Racing, R1, C1, CR3, T1, R0, Mega, The One, RX, RR1



DISC **27**

Art-Nr. P100005312 EAN 7640121223587

Fits **Shimano** XTR BR-M9120, XT BR-M8120, BR-M8020, SLX BR-M7120, DEORE BR-M6120, BR-MT420, SAINT BR-M820



DISC **28**

Art-Nr. P100005310 EAN 7640121223563

Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8100, BR-M8000, BR-M785, SLX BR-M7100, BR-M675, BR-M666, BR-M615, ALFINE BR-S700 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150



DISC **30**

Art-Nr. P100005314 EAN 7640121223600

Fits Magura MT 2, 4, 6, 8 CAMPA Road Disc, for brake calipers with magnetic pistons and without spring only (like Campa pads DB-210)



DISC **31**

Art-Nr. P100005315 EAN 7640121223617

Fits **SRAM** Guide Ultimate, RSC, RS, R, T **Avid** XO Trail, Elixir 9 Trail, Elixir 7 Trail



DISC **32**

Art-Nr. P100005316 EAN 7640121223624

Fits **SRAM** Red eTap AXS (Gen. 1 'Mono-Bloc' caliper), eTap HRD, Force Force 22 HRD (B1), Force 1 HRD



DISC **34**

Art-Nr. P100005317 EAN 7640121223631

Fits **Shimano** Dura Ace BR-R9270, BR-R9170, Ultegra BR-R8170, BR-R8070, 105 BR-R7070, Tiagra BR-4770, GRX BR-RX810, BR-RX400



DISC **35**

Art-Nr. **P100006272** EAN **7640121225154**

Fits **SRAM** Red eTap AXS (Gen. 2 'Two-Piece' caliper), Force eTap AXS **Avid** Elixir 9, 5, 3

CHARACTERISTICS - RATED

INITIAL BITE	7
MODULATION	9
LONGEVITY	10
HEAT TOLERANCE	10
NOISE - DRY	9
NOISE - WET	7

Rated from 0 - 10 (best)

27





DISC **15 C**

Art-Nr. P000730015 EAN 7640121220395

Fits **Shimano** Deore BR-MT410, BR-M575, BR-M525, LX BR-T675, Alivio BR-M4050, Acera BR-M3050, Altus BR-M375, BR-M365, BR-M315 **TRP** Slate X2, Hylex **Tektro** Orion 4x2P HD-M735 (Rear), Gemini HD-M530 (Rear), HD-M500/M501



DISC **23 C**

Art-Nr. P100001426 EAN 7640121220739

Fits **Hayes** Stroker Ryde, Radar



DISC **25 C**

Art-Nr. P100001425 EAN 7640121220753

Fits Formula RO Racing, T1 Racing, R1 Racing, R1, C1, CR3, T1, R0, Mega, The One, RX, RR1, CURA



DISC **26 C**

Art-Nr. P100001650 EAN 7640121220760

Fits **SRAM** XX, XO **Avid** Elixir 9, 7, 5



SMOOTH POWER | LOW NOISE

CHARACTERISTICS - RATED

9
8
7
7
9
9





DISC 16 C

Art-Nr. P000730016 EAN 7640121220425

Fits **Shimano** XTR BR-M975, BR-M966, BR-M965, XT BR-M776, BR-M775, BR-M765, SLX BR-M665, LX BR-M585, BR-T665, BR-T605, DEORE BR-M596, BR-M595, BR-M535 **TRP**



DISC **27 C**

Art-Nr. P100001651 EAN 7640121221309

Fits Shimano XTR BR-M9120, XT BR-M8120, BR-M8020, SLX BR-M7120, DEORE BR-M6120, BR-MT420, SAINT BR-M820, BR-M810 TRP G-Spec Quadiem, Quadiem Tektro Orion 4P HD-M750, HD-M745, Orion 4x2P HD-M735 (Front)



DISC **28 C**

Art-Nr. P100001652 EAN 7640121221767

Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8100, BR-M8000, BR-M785, SLX BR-M7100, BR-M7000, BR-M675, DEORE BR-M6100, BR-M6000, BR-M615, ALFINE BR-S700, BR-S7000 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150 **REVER** MCX1 Post Mount



DISC **29 C**

Art-Nr. P100001653 EAN 7640121221774

Fits **SRAM** Code R (2018+), RSC (2018+), Guide RE, DB8 **Avid** Code (2011-2014), Code R



DISC **17C**

Art-Nr. **P000730017** EAN **7640121220470**

Fits **Avid** Juicy 3, 5, 7, Carbon, Ultimate, BB7 Mechanical





DISC **18 C**

Art-Nr. P000730018 EAN 7640121220531

Fits **Formula** ORO



DISC **21 C**

Art-Nr. P000730021 EAN 7640121220661

Fits Magura Marta 2009, Louise 2007/08, Louise Bat, Louise Carbon, Julie hp **Brake Force One** BFO Brake





DISC **30 C**

Art-Nr. P100002876 EAN 7640121221996

Fits Magura MT 2, 4, 6, 8 CAMPA Road Disc, for brake calipers with magnetic pistons and without spring only (like Campa pads DB-210)



DISC **31 C**

Art-Nr. P100003239 EAN 7640121222177

Fits SRAM G2 Ultimate, RSC, Guide Ultimate, RSC, RS, R, T Avid XO Trail, Elixir 9 Trail, Elixir 7 Trail



DISC **32 C**

29

Art-Nr. **P100003789** EAN **7640121222467**

Fits **SRAM** Red eTap AXS (Gen. 1 'Mono-Bloc' caliper), eTap HRD, Force Force 22 HRD (B1), Force 1 HRD



disc brake POWER-CLEAN



500 ML

Art-Nr. P100006047 EAN 7640121224218

DESCRIPTION

SwissStop Disc Brake Power-Clean is the acetone-free solution for degreasing, loosening stuck parts and taking care of bicycle disc brake components. Soiled brake systems and metal parts are freed from organic and mineral dirt in no time - even adhesive residues can be removed. It displaces moisture, evaporates without a trace and can help prevent brakes from squealing.

disc brake SILENCER





400 ML

Art-Nr. P100004436 EAN 7640121222856

50 ML

Art-Nr. P100002354 EAN 7640121221675

DESCRIPTION

SwissStop Disc Brake Silencer is a high-performance metallic-based release agent with a biologically degradable carrier fluid.

Properties:

- prevents and reduces brake squealing, without impairing the braking effect
- simultaneously dissipates heat
- prevents non-uniform wear
- eliminates vibration on braking



Scan code to learn more and watch video on how to apply SwissStop Disc Brake Silencer.

RIM BRAKE PAD COMPOUNDS




























SMOOTH, RIM FRIENDLY BRAKING

EXTREME PERFORMANCE

FOR CARBON RIMS

EXCELLENT MODULATION

Ideal pad for everday use.

Compound works well on all aluminum rims and well suited for softer alloys, including magnesium.

High performance compound for alloy wheels. Improved power and modulation with excellent wet weather stopping power.

High performance compound for carbon wheels. Excellent stopping power wet and dry with superior modulation and low pad wear rates.

Excellent modulation, cooler temperatures and great wet weather brake performance.

Black Prince brings the feel of braking on alloy wheels to carbon wheels.

COMPATIBILITY: ALUMINUM RIMS

COMPATIBILITY: CARBON RIMS

COMPATIBILITY: CARBON RIMS

COMPATIBILITY: ALUMINUM RIMS



MODELS FOR ROAD BIKES

MODELS FOR CITY AND TREKKING

ORIGINAL

Art-Nr. P100002773

EAN 7640121221880

Art-Nr. P100002337

EAN **7640121221576**

RXPLUS



FOR ALU RIMS

FOR CARBON RIMS







ORIGINAL BLACK





YELLOW



VikingPRO

RXPLUS

Art-Nr. P100002334 EAN 7640121221545

Art-Nr. P000310204


EAN 7640121220005



Art-Nr. P000647120 EAN 7640121221026

How to use the

Polier Gummi



ACCESSORY ITEMS



Art-Nr. **P000771340** EAN **7640121221255**

35

FlashPRO

Fits SRAM | Shim Road and Campa retention screw type

Art-Nr. P100001815 EAN 7640121221316

Art-Nr. P100003203 EAN 7640121222115 Art-Nr. P100001833 EAN 7640121221323 Art-Nr. P100003205 EAN 7640121222139



Fits SRAM | Shim Road



Art-Nr. P100001881 EAN 7640121221354



Art-Nr. P100003331 EAN **7640121222399**



Art-Nr. P100001882 EAN **7640121221361**



Art-Nr. P100003330 EAN 7640121222382



Art-Nr. P100003763 EAN **7640121222443**



Art-Nr. P100003762 EAN **7640121222436**

Flash (AVO)

Fits SRAM | Shim Road and Campa retention screw type

RacePRO

and newer)

Fits Campa with retention

spring or friction fit (10 sp







Art-Nr. P100003208

FAN 7640121222160









EAN 7640121222146

IMPORTANT: ALWAYS USE THE PAD RECOMMENDED BY YOUR WHEEL BUILDER.

OEM PARTNERS AND COMPATIBLE PRODUCTS

FOR ALUMINUM RIMS

SwissStop is proud to work with many of the finest companies in the bicycle industry.

Rat

Wheelbuilders: Black Prince OEM partners and approved products

Bontrager (since 2015) EAS FSE Roadsailer Ursus Full Tech **AX-Lightness** Comete **Farsports** Rollingstone Unaas Bikebeat DT Swiss FFWD Pro-Lite Spinergy Vision BLKTEC Carbon Easton FSA Roval Tune Zipp

Wheelbuilders: Yellow King OEM partners and approved products

Abrosio **Farsports** FSE Mavic (carbon) Zipp FSA Full Tech Vision Easton

Wheelbuilders: BXP OEM partners

DT Swiss Oxic Xentis including carbon wheels Tune alloy wheels

Brakes: Original Black OEM Custom compound for alloy Yellow King OEM

SRAM Rival SRAM Force Fouriers SRAM Apex SRAM Red

Exclusive Compounds

Mavic Exalith 2 Zipp Platinum Lightweight





2024

© 2023 Borflex Rex SA Via Flora Ruchat-Roncati 1 6850 Mendrisio | Switzerland www.SwissStop.ch